



Commissioning record

Peel the removable sticker from the front of the Call Module and place on this sheet. Complete the information in the corresponding box (see attached explanation).

Name	Name
Location	Location
Door used Yes/No	Door used Yes/No
Door name	Door name
Door time Secs	Door time Secs
Door forced alarm Yes/No	Door forced alarm Yes/No
Max door Secs opening time	Max door Secs opening time
Door under secret Yes/No	Door under secret Yes/No
Gate used Yes/No	Gate used Yes/No
Gate name	Gate name
Gate time Secs	Gate time Secs
Gate under secret Yes/No	Gate under secret Yes/No
Concierge button Yes/No	Concierge button Yes/No
Notes	Notes



Name		Name
Location		Location
Door used Yes/No		Door used Yes/No
Door name		Door name
Door time Secs		Door time Secs
Door forced alarm Yes/No	-	Door forced alarm Yes/No
Max door Secs opening time	-	Max door Secs opening time
Door under secret Yes/No		Door under secret Yes/No
Gate used Yes/No		Gate used Yes/No
Gate name		Gate name
Gate time Secs		Gate time Secs
Gate under secret Yes/No		Gate under secret Yes/No
Concierge button Yes/No		Concierge button Yes/No
Notes	-	Notes



Name		Name
Location		Location
Door used Yes/No		Door used Yes/No
Door name		Door name
Door time Secs		Door time Secs
Door forced alarm Yes/No	-	Door forced alarm Yes/No
Max door Secs opening time	-	Max door Secs opening time
Door under secret Yes/No		Door under secret Yes/No
Gate used Yes/No		Gate used Yes/No
Gate name		Gate name
Gate time Secs		Gate time Secs
Gate under secret Yes/No		Gate under secret Yes/No
Concierge button Yes/No		Concierge button Yes/No
Notes	-	Notes



Explanation of Call Module parameters

Name	Your chosen name for the Call Module e.g. 'Main Entrance'.
Location	The position within the system Topology where the entry panel will be programmed. See the IPerCom Configurator Program user guide for details.
Door used	If the entry panel lock release relay will be used (for a pedestrian door) then choose Yes
Door name	Your chosen name for the door e.g. 'Main Entrance door'.
Door time	The entry panel lock output relay time
Door forced alarm	Relevant only in systems where a concierge switchboard is installed. If the door is opened without a lock release signal from an apartment or from the key reader, an alarm is sent to the concierge switchboard.
	A door contact must be installed.
	Note that if iPassan access control (or other third party access control products are used) this box must not be ticked.
Max door opening time	Relevant only in systems where a concierge switchboard is installed. If the door is left open for longer than the time set, an alarm is sent to the concierge switchboard.
Door under secret	If you choose Yes then it will be possible for residents to open the door only after they have been called. This is the recommended setting.
Gate used	As well as the lock release output the entry panel has a dedicated output for an automatic gate. If you will use this output chose Yes.
Gate name	Your chosen name for the gate e.g. 'car park barrier'.
Gate time	The gate output relay time.
Gate under secret	If you choose Yes then it will be possible for residents to open the gate only after they have been called. This is the recommended setting.
Concierge button	If this entry panel will call a concierge switchboard choose Yes